

# ΚΙΝΟ ΚΙΣΕΚΙ

## ΕΜΠΛΑΣΤΡΟ ΑΠΟΤΟΞΙΝΩΣΗΣ

Τα έμπλαστρα  
που απορροφούν τις τοξίνες  
και σας χαρίζουν υγεία και ευεξία  
χωρίς ενοχλήσεις!



ΣΥΣ ΚΕΥΑΣΙΑ  
14 ΤΕΜ 42,50 €

**ΑΠΟΛΥΤΑ ΦΥΣΙΚΟ ΠΡΟΪΟΝ**  
**ΧΩΡΙΣ ΧΗΜΙΚΑ**  
**ΧΩΡΙΣ ΠΑΡΕΝΕΡΓΕΙΣ!**

ΤΟ ΠΡΟΪΟΝ ΥΠΟΣΤΗΡΙΖΕΤΑΙ  
ΑΠΟ ΤΟΝ ΕΙΔΙΚΟ ΡΕΦΛΕΟΛΟΓΟ  
Κο ΜΑΥΡΟ ΔΗΜΗΤΡΙΟ  
ΤΗΛ: 210 4020 904





## Ενδείκνυται :

- Αποτοξινώνει
- Καταπολεμά την αϋπνία
- Βελτιώνει τον μεταβολισμό
- Ανακουφίζει από πόνους
- Ενισχύει το ανοσοποιητικό σύστημα
- Ανακουφίζει από αρθρίτιδες και ρευματισμούς


## Συστατικά

- CHITOSAN
- Ξυλόπνευμα
- Τουρμαλίνη
- Πούδρα Μαργαριταριών
- Καθαρό Διοξειδίο του Πυριτίου
- Δεξτρίνη
- Και μια φόρμουλα με Γλυκόλη και Τοκουτάμι


**Πριν**



**Μετά**







## Πιστοποίηση ειδικού δερματολόγου



CONFIDENTIAL REPORT. This report was completed for VIP DOMOTEC Group 2004. for internal use only. These test results cannot be published or used for any reason other than internal use. Partial of full use of the contents is strictly prohibited and will be considered invalid.



PARC 2000  
244, rue Claude François  
F 34080 MONTPELLIER

Tel : +33 (0)4 67 16 47 63  
Fax : +33 (0)4 67 03 21 49

Email  
contact@biophyderm.net

Site  
www.biophyderm.net

VIP DOMOTEC GROUP  
6, rue Henri Schnadt  
L - 2530 LUXEMBOURG

### ANALYSIS CERTIFICATE

#### DETOX PATCH tested under N° 600

This study is reported on **REPORT 334/0904 - 1** and in the conditions of the protocol of the test retained between promotor and investigator, the results are the following :

NO ALLERGISANT POTENTIAL

NO IRRITANT EFFECT

IPC - Stripped skin	0,13
IPC - Intact skin	0,03

The product **DETOX PATCH - VIP DOMOTEC**, is :

**SUITABLE ON HUMAN SKIN**

undersigned, Lise AGOPIAN-SIMONEAU, a medical doctor, BIOPHYDERM's medical and scientific certifies having done the study to assess the acute tolerance by means of an test under dermatological of the following product :

#### DETOX PATCH tested under N° 600

is reported on **REPORT 334/0904 - 1** and in the conditions of the protocol of the test retained between and investigator, the results are the following :

NO ALLERGISANT POTENTIAL

NO IRRITANT EFFECT

IPC - Stripped skin	0,13
IPC - Intact skin	0,03

Product **DETOX PATCH - VIP DOMOTEC**, is :

**SUITABLE ON HUMAN SKIN**

Original duplicate certificate established at Montpellier, 18 October 2004

Lise AGOPIAN-SIMONEAU M.D.  
Dermatologist - Scientific and Medical Director  
Chairman and Managing Director

biophyderm s.a.  
PARC 2000  
244, rue Claude François  
"LES FAUCONNES"  
F 34080 MONTPELLIER  
Tél 33 (0)4 67 16 47 63 / Fax : 33 (0)4 67 03 21 49

Lise AGOPIAN-SIMONEAU M.D.  
Dermatologist - Scientific and Medical Director  
Chairman and Managing Director

Té

# Πιστοποιητικό καταλληλότητας για διάθεση στην αγορά

Expert Appraiser Dr. Lutz-Michael Lautenbach  
**Chemical analysis and consultation**

From the chamber of industry and commerce of Munich and Upper Bavaria publicly appointed and sworn expert for pharmaceuticals, foods and cosmetics

SV Büro Dr. L. Lautenbacher – Landsberger Str. 496- 81241 München Landsberger Str. 495  
D-81241 München  
Phone: +49 (0) 89/820 200 20  
Phone: +49 (0) 89/820 200 21  
Fax: +49 (0) 89/820 200 22  
Mobile: + 49(0) 171/244 281 2

Worldline  
Im- und Export GmbH

Postfach 624  
56228 Ransbach-Baumbach

**Certificate of Marketability no. 04060549**

Munich, 14.05.2004  
Page 1 of 2

**Certificate of Marketability no. 04060549**

In my capacity as pharmacist and state-examined food chemist, and in my capacity as publicly appointed and sworn expert for foods, pharmaceuticals and cosmetics, appointed by the Chamber of Industry and Commerce (IHK) in Germany and officially appointed pharmacist and counter-opinion expert for the Federal Institute of Pharmaceuticals and Medical Products, and as Production and Controlling Manager pursuant to Section 15 of the German Pharmaceuticals Act (AMG), I hereby confirm that the documents submitted to me on 16.01.03, 28.02.03, 17.03.03 and 09.06.04 with regard to the product,

Detox Patch

which is marketed by

VIP Domotec GmbH

confirm the marketability, with regard to its ingredient composition, of the product as a commodity in accordance with currently effective evaluation criteria, provided that no substances that may be harmful to health are transferred to the user from the ingredient of "wood vinegar".

Dr. L. Lautenbacher, Expert Appraiser

/Signature/

Dr. L. Lautenbacher  
Publicly appointed and sworn  
expert for pharmaceuticals,  
foods and cosmetics

/Stamp: Dr. L. Lautenbacher/

Dr. L. Lautenbacher, Expert Appraiser

/Signature/

Dr. L. Lautenbacher  
Publicly appointed and sworn  
expert for pharmaceuticals,  
foods and cosmetics



# Έγγραφο κλινικών αναλύσεων

## Third Advisory Opinion on Use of KinoKiseki

### Third Advisory Opinion on Use of KinoKiseki

Scientific supervision  
and conduct of trials:

Dr.Dr.sc.D.Cimbal M.S.E.  
FA. DM. Imengard Cimbal

This opinion supplies a detailed evaluation of the results previously achieved on the examination of the effectiveness of KinoKiseki plasters as drainage and detoxification method.

Test series: 1 week test

Test period: June/July 2002 (25.06. – 04.07.2002)

Procedure:

Basic measurement, Biokamm measurement, test agent plaster measurement, depending on results of test measurement, KinoKiseki plasters are used where the test results are positive and at the present time application of the plaster is being abandoned on negative test results (later tests usually show that a positive result then supports the use of the plaster)

On positive result there follows application of the plaster and detailed explanation of the mode of action and use of the plasters.

It is explained in detail to the patients and demonstrated, how to stick the plasters to the soles of both feet in the evening and to remove them on the morning of the following day. They should then be taken to the practice for the purpose of examination.

**This opinion supplies a detailed evaluation of the results previously achieved on the examination of the effectiveness of KinoKiseki plasters as drainage and detoxification method.**

Test series: 1 week test

Test period: June/July 2002 (25.06. – 04.07.2002)

days, as diagrams entitled "Therapy Control and Energy Metabolism" and described and discussed in detail.

It may be seen on viewing the "Therapy Control – Energy Metabolism" diagrams that the ordinate standard is adjusted by the computer to the particular range of values (ordinate values interval), so that different standards result. A comparison of one diagram with another is only possible if account is taken of the particular ordinate standard.

Other representations, that is, results further processed mathematically, are also additionally presented and explained in separate diagrams in order to highlight certain results.

The "Therapy Control - Standard Average Value (Energy Change, Variance Change)" diagrams have been analysed to evaluate the effect of the KinoKiseki plaster on the inner harmony of the particular subjects. This is explained with examples.

<u>dénomination commerciale</u> <u>DETOX PATCH</u> <u>marque</u> <u>VIP.DOMOTEC</u> ..... <u>référence formule</u> .....	<b>1</b>																																																															
<u>établissement</u> <u>VIP.DOMOTEC.BENELUX</u> <u>adresse</u> <u>6, rue Henri Schnadt</u>	<b>2</b>																																																															
<b>CERFA N° 61-2128 (Document obligatoire en application de l'article 5 du Décret du 28-12-1977)</b>																																																																
<u>email</u> .....																																																																
<u>catégorie</u> <u>poudres pour l'hygiène corporelle et autres poudres</u> <u>mode d'utilisation</u> <u>application sous forme de patch au niveau du pied (voûte plantaire)</u>	<b>3</b>																																																															
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>composants</u></th> <th style="text-align: left;"><u>pH non calculé : produit poudreux</u></th> <th style="text-align: left;"><u>%</u></th> </tr> </thead> <tbody> <tr><td>starch</td><td></td><td>50</td></tr> <tr><td>acetic acid (pyroligneous acid)</td><td></td><td>30</td></tr> <tr><td>chitosan</td><td></td><td>5</td></tr> <tr><td>calcium polyaminoacid (pearl powder)</td><td></td><td>4</td></tr> <tr><td>silica</td><td></td><td>4</td></tr> <tr><td>sodium iron aluminum borosilicate hydroxyde (mineral schori)</td><td></td><td>4</td></tr> <tr><td>glycol</td><td></td><td>3</td></tr> <tr><td>.....</td><td></td><td></td></tr> <tr><td>.....</td><td></td><td></td></tr> <tr><td>.....</td><td></td><td></td></tr> <tr><td>.....</td><td></td><td></td></tr> <tr><td>.....</td><td></td><td></td></tr> <tr><td>.....</td><td></td><td></td></tr> <tr><td>.....</td><td></td><td></td></tr> <tr><td>.....</td><td></td><td></td></tr> <tr><td>.....</td><td></td><td></td></tr> <tr><td>.....</td><td></td><td></td></tr> <tr><td>.....</td><td></td><td></td></tr> <tr><td>.....</td><td></td><td></td></tr> <tr><td>.....</td><td></td><td></td></tr> </tbody> </table>	<u>composants</u>	<u>pH non calculé : produit poudreux</u>	<u>%</u>	starch		50	acetic acid (pyroligneous acid)		30	chitosan		5	calcium polyaminoacid (pearl powder)		4	silica		4	sodium iron aluminum borosilicate hydroxyde (mineral schori)		4	glycol		3	.....			.....			.....			.....			.....			.....			.....			.....			.....			.....			.....			.....			.....			<b>4</b>
<u>composants</u>	<u>pH non calculé : produit poudreux</u>	<u>%</u>																																																														
starch		50																																																														
acetic acid (pyroligneous acid)		30																																																														
chitosan		5																																																														
calcium polyaminoacid (pearl powder)		4																																																														
silica		4																																																														
sodium iron aluminum borosilicate hydroxyde (mineral schori)		4																																																														
glycol		3																																																														
.....																																																																
.....																																																																
.....																																																																
.....																																																																
.....																																																																
.....																																																																
.....																																																																
.....																																																																
.....																																																																
.....																																																																
.....																																																																
.....																																																																
.....																																																																
<u>date fiche</u> <u>25 avril 2005</u>	<b>5</b>																																																															
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;"><u>présentations</u></th> <th style="text-align: left;"><u>contenances conditionnements</u></th> </tr> </thead> <tbody> <tr><td>patch cutané</td><td></td></tr> <tr><td>.....</td><td></td></tr> <tr><td>.....</td><td></td></tr> <tr><td>.....</td><td></td></tr> <tr><td>.....</td><td></td></tr> </tbody> </table>	<u>présentations</u>	<u>contenances conditionnements</u>	patch cutané		.....		.....		.....		.....																																																					
<u>présentations</u>	<u>contenances conditionnements</u>																																																															
patch cutané																																																																
.....																																																																
.....																																																																
.....																																																																
.....																																																																