

CONFIDENTIAL REPORT. This report was completed for VIP DOMOTEC Group 2004. for internal use only. These test results cannot be published or used for any reason other than internal use. Partial of full use of the contents is strictly prohibited and will be considered invalid.



ÉVALUATIONS et
DÉVELOPPEMENTS
DERMOCOSMETIQUES

PARC 2000
244, rue Claude François
F 34080 MONTPELLIER

Tél. : +33 (0)4 67 16 47 63
Fax : +33 (0)4 67 03 21 49

Email
contact@biophyderm.net

Site
www.biophyderm.net

VIP DOMOTEC GROUP
6, rue Henri Schnadt
L - 2530 LUXEMBOURG

ANALYSIS CERTIFICATE

I, the undersigned, Lise AGOPIAN-SIMONEAU, a medical doctor, BIOPHYDERM's medical and scientific director, certifies having done the study to assess the acute tolerance by means of an test under dermatological control of the following product :

DETOX PATCH tested under N° 600

This study is reported on **REPORT 334/0904 - 1** and in the conditions of the protocol of the test retained between promotor and investigator, the results are the following :

NO ALLERGISANT POTENTIAL

NO IRRITANT EFFECT

IPC - Stripped skin	0,13
IPC - Intact skin	0,03

The product DETOX PATCH - VIP DOMOTEC, is :

SUITABLE ON HUMAN SKIN

Original duplicate certificate established at Montpellier, 18 October 2004

Lise AGOPIAN-SIMONEAU M.D.
Dermatologist - Scientific and Medical Director
Chairman and Managing Director

biophyderm s.a.

PARC 2000
244, rue Claude François
"Les Fauvettes"
F 34080 MONTPELLIER
Tél. 33 (0)4 67 16 47 63 / Fax : 33 (0)4 67 03 21 49

S.A. au capital de 180 000 Euros •
Siret 393 018 650 00035 •
APE 332B •
R.C.S. 393 018 650 - RM 340 •